



Green Approved Product

For
National Green Building Certification
This is to signify that the following products for residential construction

CertainTeed Restoration Millwork


Manufactured by
CertainTeed

Have been approved for points toward National Green Building Certification to the ICC 700-2008 National Green Building Standard as shown on page 2 of this certificate. The NAHB Research Center hereby authorizes accredited verifiers to award these points toward certification when the products are used in accordance with the conditions shown on page 2 and the manufacturer's installation instructions.

This information has been verified by independent third-party testing or evaluation.

Certificate #00052



Signed:  Issuance Date: July 15, 2009 Expiration Date: July 31, 2012
Robert L. Hill, Director
Laboratory Sciences and Certification Programs

NAHB Research Center • 400 Prince George's Boulevard • Upper Marlboro, MD 20774 • www.nahbrc.com

This certificate is not a representation, warranty, or guarantee of product performance or certification of code compliance. For details of the product warranty, consult the product manufacturer.



Green Approved Products Certificate #00052

Products: CertainTeed Restoration Millwork

Manufacturer: CertainTeed



The use of these products is approved to receive points to certification under the National Green Building Standard practices as noted below:

PRACTICE #	PRACTICE DESCRIPTION	POTENTIAL POINTS AVAILABLE	ADDITIONAL CONDITIONS OF USE TO AWARD POINTS
601.7	Building materials/assemblies do not require additional site applied material for finishing. 12 points max. awarded.	2 or 5	For 5 points: 90% or more of the installed trim must be this product. For 2 points: 50 - 90% of the installed trim must be this product.
602.8	Termite-resistant materials are used in portions of the building.	2, 4, or 6	To earn two points, product is used in conjunction with other termite resistant materials for the first 2 feet of all the foundation, floor, and structural wall, wall cladding, and exterior deck components in zones with slight to moderate termite infestation. 4 points are awarded when used in conjunction with other termite resistant materials for the first 3 feet in moderate to heavy termite zones, and 6 points are awarded for use with other termite resistant materials for all of the foundation, floor, and structural wall, wall cladding, and exterior deck components in areas of very heavy termites.

Signed: Robert L. Hill Issuance Date: July 15, 2009 Expiration Date: July 31, 2012
 Robert L. Hill, Director
 Laboratory Sciences and Certification Programs

NAHB Research Center • 400 Prince George's Boulevard • Upper Marlboro, MD 20774 • www.nahbrc.com

This certificate is not a representation, warranty, or guarantee of product performance or certification of code compliance. For details of the product warranty, consult the product manufacturer.